

Contents

1 **Grid Infrastructure: Overview**

- Objectives 1-2
- Cluster 1-3
- Clusterware 1-4
- Oracle Clusterware 1-5
- Oracle Flex Clusters 1-6
- Cluster Configuration Options 1-7
- Clusterware Architecture and Cluster Services 1-10
- Features of Oracle Clusterware 1-11
- Oracle Clusterware Networking 1-12
- Oracle Clusterware Initialization 1-14
- GPnP Architecture: Overview 1-15
- How GPnP Works: Cluster Node Startup 1-17
- Grid Naming Service (GNS) 1-18
- Single-Client Access Name 1-19
- Client Database Connections 1-20
- Oracle ASM 1-21
- Oracle ACFS 1-22
- Oracle Flex ASM 1-23
- ASM Features and Benefits 1-24
- Quiz 1-25
- Summary 1-28
- Practice 1: Overview 1-29

2 **RAC Databases Overview and Architecture**

- Objectives 2-2
- Oracle RAC: Overview 2-3
- Typical Oracle RAC Architecture 2-4
- Oracle RAC One Node 2-5
- Oracle RAC One Node and Oracle Clusterware 2-6
- Cluster-Aware Storage Solutions 2-7
- Oracle RAC and Network Connectivity 2-8
- Benefits of Using RAC 2-9
- Clusters and Scalability 2-10

- Levels of Scalability 2-11
- Scaleup and Speedup 2-12
- Speedup/Scaleup and Workloads 2-13
- I/O Throughput Balanced: Example 2-14
- Necessity of Global Resources 2-15
- Additional Memory Requirement for RAC 2-16
- Parallel Execution with RAC 2-17
- Summary 2-18

3 Installing and Configuring Oracle RAC

- Objectives 3-2
- Installing the Oracle Database Software 3-3
- Creating the Cluster Database 3-8
- Database Type Selection 3-9
- Database Identification 3-11
- Storage Options 3-12
- Database Content 3-13
- Configuration Options 3-14
- Cluster Database Management Options 3-15
- Passwords for Database Schema Owners 3-16
- Create the Database 3-17
- Monitoring Progress 3-18
- Post-Installation Tasks 3-19
- Background Processes Specific to Oracle RAC 3-20
- Single Instance-to-RAC Conversion 3-22
- Considerations for Converting Single-Instance Databases to Oracle RAC 3-23
- Scenario 1: Using DBCA 3-24
- Step 1: Create an Image of the Single-Instance Database 3-25
- Example: Result of Step 1 3-26
- Step 2: Create an Oracle Cluster for RAC 3-27
- Example: Result of Step 2 3-28
- Step 3: Copy the Preconfigured Database Image 3-29
- Example: Database Structure File (*.dbc) 3-30
- Example: Result of Step 3 3-31
- Step 4: Create an Oracle RAC Database 3-32
- Scenario 2: Using rconfig 3-33
- Step 1: Check the Database Type 3-34
- Step 2: Modify the XML File for the rconfig Utility 3-35
- Example: ConvertToRAC_AdminManaged.xml 3-36
- Step 3: Perform Prerequisite Checks 3-37
- Step 4: Convert to an Oracle RAC Database 3-38

Step 5: Verify the Conversion 3-40
Example: Result of Using rconfig 3-41
Quiz 3-42
Summary 3-44
Practice 3: Overview 3-45

4 Oracle RAC Administration

Objectives 4-2
Separation of Duty for Administering Oracle Real Application Clusters 4-3
Enterprise Manager Cloud Control Cluster Database Home Page 4-4
Cluster Database Home Page 4-5
Cluster Database Instance Home Page 4-6
Cluster Home Page 4-7
Topology Viewer 4-8
Enterprise Manager Alerts and RAC 4-9
Enterprise Manager Metrics and RAC 4-10
Enterprise Manager Blackouts and RAC 4-11
Enterprise Manager Database Express 4-12
Redo Log Files and RAC 4-13
Automatic Undo Management and RAC 4-15
Local Temporary Tablespaces 4-16
Local Temporary Tablespace Organization 4-17
Temporary Tablespace Hierarchy 4-18
Local Temporary Tablespace Considerations 4-19
Managing Local Temporary Tablespaces 4-20
Local Temporary Tablespace Dictionary Views 4-21
Starting and Stopping RAC Instances 4-22
Starting and Stopping RAC Instances with srvctl 4-23
Starting and Stopping RAC Instances with SQL*Plus 4-24
Starting and Stopping Pluggable Databases in RAC 4-25
Switch between Automatic and Manual Policies 4-27
RAC Initialization Parameter Files 4-28
SPFILE Parameter Values and RAC 4-29
EM and SPFILE Parameter Values 4-30
RAC Initialization Parameters 4-31
Parameters That Require Identical Settings 4-33
Parameters That Require Unique Settings 4-34
Quiescing RAC Databases 4-35
Terminating Sessions on a Specific Instance 4-36
How SQL*Plus Commands Affect Instances 4-37
Transparent Data Encryption and Keystores in RAC 4-38

Quiz 4-40
Summary 4-43
Practice 4: Overview 4-44

5 Upgrading and Patching Oracle RAC

Objectives 5-2
Patch and Patch Set: Overview 5-3
Types of Patches 5-4
Obtaining Oracle RAC Patch Sets 5-5
Obtaining Oracle RAC Patches 5-7
Downloading Patches 5-8
RAC Patching Methods 5-9
Out-of-Place Upgrades with OUI 5-10
Rolling Patches 5-13
OPatch: Overview 5-14
OPatch: General Usage 5-15
Before Patching with OPatch 5-16
Installing a Rolling Patch with OPatch 5-17
OPatch Automation 5-19
OPatch Automation: Examples 5-20
OPatch Log and Trace Files 5-22
Queryable Patch Inventory 5-23
Alternative Methods of Patching 5-24
Quiz 5-25
Summary 5-26

6 Managing Backup and Recovery for RAC

Objectives 6-2
Instance Recovery and RAC 6-3
Instance Recovery and Database Availability 6-5
Instance Recovery and RAC 6-6
Protecting Against Media Failure 6-8
Media Recovery in Oracle RAC 6-9
Parallel Recovery in RAC 6-10
RAC and the Fast Recovery Area 6-11
RAC Backup and Recovery Using EM 6-12
Configuring RAC Recovery Settings with EM 6-13
Archived Redo File Conventions in RAC 6-14
Configuring RAC Backup Settings with EM 6-15
Oracle Recovery Manager 6-16
Configuring RMAN Snapshot Control File Location 6-17

Configuring Control File and SPFILE Autobackup	6-18
Cross-checking on Multiple RAC Clusters Nodes	6-19
Channel Connections to Cluster Instances	6-20
RMAN Channel Support for the Grid	6-21
RMAN Default Autolocation	6-22
Distribution of Backups	6-23
Managing Archived Redo Logs Using RMAN	6-24
Noncluster File System Local Archiving Scheme	6-25
Configuring Non-Cluster, Local Archiving	6-26
ASM and Cluster File System Archiving Scheme	6-27
Configuring the CFS Archiving Scheme	6-28
Restoring and Recovering	6-29
Quiz	6-30
Summary	6-32
Practice 6: Overview	6-33

7 Global Resource Management Concepts

Objectives	7-2
Need for Global Concurrency Control	7-3
Global Resource Directory (GRD)	7-4
Global Resource Management	7-5
Global Resource Remastering	7-6
Global Resource Recovery	7-7
Global Resource Management Related Background Processes	7-9
Global Resource Access Coordination	7-10
Global Enqueues	7-11
Instance Locks	7-12
Global Cache Management: Overview	7-13
Global Cache Management Components	7-14
Global Cache Buffer States	7-15
Global Cache Management Scenarios for Single Block Reads	7-16
Global Cache Scenarios: Overview	7-17
Scenario 1: Read from Disk	7-18
Scenario 2: Read-Write Cache Fusion	7-22
Scenario 3: Write-Write Cache Fusion	7-26
Scenario 4: Write-Read Cache Fusion	7-30
Global Cache Management Scenarios for Multi-Block Reads	7-34
Useful Global Resource Management Views	7-35
Quiz	7-36
Summary	7-37

8	RAC Database Monitoring and Tuning	
	Objectives	8-2
	CPU and Wait Time Tuning Dimensions	8-3
	RAC-Specific Tuning	8-4
	Analyzing Cache Fusion Impact in RAC	8-5
	Typical Latencies for RAC Operations	8-6
	Wait Events for RAC	8-7
	Wait Event Views	8-8
	Global Cache Wait Events: Overview	8-9
	Global Enqueue Waits	8-11
	Session and System Statistics	8-12
	Most Common RAC Tuning Tips	8-13
	Index Block Contention: Considerations	8-15
	Oracle Sequences and Index Contention	8-16
	Undo Block Considerations	8-18
	High-Water Mark Considerations	8-19
	Concurrent Cross-Instance Calls: Considerations	8-20
	Monitoring RAC Database and Cluster Performance	8-21
	Cluster Database Performance Page	8-22
	Determining Cluster Host Load Average	8-23
	Determining Global Cache Block Access Latency	8-24
	Determining Average Active Sessions	8-25
	Determining Database Throughput	8-26
	Accessing the Cluster Cache Coherency Page	8-28
	Viewing the Database Locks Page	8-30
	AWR Snapshots in RAC	8-31
	AWR Reports and RAC: Overview	8-32
	Active Session History Reports for RAC	8-33
	Automatic Database Diagnostic Monitor for RAC	8-34
	What Does ADDM Diagnose for RAC?	8-36
	EM Support for ADDM for RAC	8-37
	EM Database Express Performance Hub	8-38
	Monitoring RAC With Cluster Health Advisor (CHA)	8-39
	Quiz	8-40
	Summary	8-42
	Practice 8: Overview	8-43
9	Managing High Availability of Services	
	Objectives	9-2
	Oracle Services	9-3
	Service Usage in an Oracle RAC Database	9-4

Parallel Operations and Services	9-5
Service-Oriented Buffer Cache Access	9-6
Service Characteristics	9-7
Default Service Connections	9-9
Restricted Service Registration	9-10
Creating Service with Enterprise Manager	9-11
Creating Services with SRVCTL	9-12
Managing Services with Enterprise Manager	9-13
Managing Services with EM	9-14
Managing Services with srvctl	9-15
Using Services with Client Applications	9-16
Services and Connection Load Balancing	9-17
Services and Transparent Application Failover	9-18
Using Services with the Resource Manager	9-19
Services and Resource Manager with EM	9-20
Using Services with the Scheduler	9-21
Services and the Scheduler with EM	9-22
Using Distributed Transactions with RAC	9-24
Distributed Transactions and Services	9-25
Service Thresholds and Alerts	9-27
Services and Thresholds Alerts: Example	9-28
Service Aggregation and Tracing	9-29
Top Services Performance Page	9-30
Service Aggregation Configuration	9-31
Service, Module, and Action Monitoring	9-32
Service Performance Views	9-33
Quiz	9-34
Summary	9-36
Practice 9: Overview	9-37

10 High Availability for Connections and Applications

Objectives	10-2
Types of Workload Distribution	10-3
Client-Side Connect-Time Load Balancing	10-4
Fast Application Notification (FAN): Overview	10-5
Fast Application Notification: Benefits	10-6
Implementing FAN Events	10-7
FAN and Oracle Integrated Clients	10-8
FAN-Supported Event Types	10-10
FAN Event Reasons	10-11
FAN Event Status	10-12

FAN Event Format	10-13
Load Balancing Advisory: FAN Event	10-14
Server-Side Callouts Implementation	10-15
Server-Side Callout Parse: Example	10-16
Server-Side Callout Filter: Example	10-17
Server-Side ONS	10-18
Optionally Configuring the Client-Side ONS	10-19
UCP JDBC Fast Connection Failover: Overview	10-20
JDBC/ODP.NET FCF Benefits	10-21
Load Balancing Advisory	10-22
UCP JDBC/ODP.NET Runtime Connection Load Balancing: Overview	10-23
Connection Load Balancing in RAC	10-24
Monitoring LBA FAN Events	10-25
Transparent Application Failover: Overview	10-26
TAF Basic Configuration on Server-Side: Example	10-27
TAF Basic Configuration on a Client-Side: Example	10-28
TAF Preconnect Configuration: Example	10-29
TAF Verification	10-30
FAN Connection Pools and TAF Considerations	10-31
Transaction Guard and Application Continuity	10-32
What Is Transaction Guard?	10-33
Benefits of Transaction Guard	10-34
How Transaction Guard Works	10-35
Using Transaction Guard	10-36
Creating Services for Transaction Guard	10-38
What Is Application Continuity?	10-39
Benefits of Application Continuity	10-40
How Does Application Continuity Work?	10-41
RAC and Application Continuity	10-42
Using Application Continuity	10-43
Creating Services for Application Continuity	10-45
Quiz	10-47
Summary	10-49
Practice 10 Overview: Using Application Continuity	10-50

11 Oracle RAC One Node

Objectives	11-2
Oracle RAC One Node	11-3
Creating an Oracle RAC One Node Database	11-4
Verifying an Existing RAC One Node Database	11-6
Oracle RAC One Node Online Relocation	11-7

- Online Relocation Considerations 11-8
- Performing an Online Relocation 11-9
- Online Relocation Illustration 11-10
- Online Maintenance: Rolling Patches 11-13
- Adding an Oracle RAC One Node Database to an Existing Cluster 11-15
- Converting a RAC One Node Database to RAC 11-16
- Converting a Single Instance Database to RAC One Node 11-18
- Converting a RAC Database to RAC One Node 11-19
- Quiz 11-20
- Summary 11-22
- Practice 11: Overview 11-23

12 Oracle Database In-Memory in RAC

- Objectives 12-2
- In-Memory Column Store 12-3
- Advantages of In-Memory Column Store 12-5
- In-Memory Column Store Pools 12-6
- Implementing In-Memory Column Store 12-7
- In-Memory Column Store Population 12-8
- Prioritization of In-Memory Population 12-9
- In-Memory Column Store and Oracle RAC 12-10
- In-Memory FastStart 12-11
- In-Memory FastStart Architecture 12-12
- Enabling In-Memory FastStart 12-13
- FastStart Area in Oracle RAC 12-14
- How the Database Reads from the FastStart Area 12-15
- Summary 12-16
- Practice 12: Overview 12-17

13 Multitenant Architecture and RAC

- Objectives 13-2
- Non-CDB Architecture 13-3
- Multitenant Architecture: Benefits 13-4
- CDB in a Non-RAC Environment 13-5
- Containers 13-6
- Terminology 13-7
- Data Dictionary Views 13-8
- Connection to a Non-RAC CDB 13-9
- Switching Connection 13-11
- Oracle RAC and Multitenant Configuration 13-12
- Oracle RAC and Multitenant Architecture 13-13

Creating a RAC CDB	13-14
Hosting a RAC CDB in Server Pools	13-15
Creating a RAC CDB Including PDBs	13-16
After CDB Creation	13-17
Connecting Using CDB/PDB Services	13-18
Opening a PDB in a RAC CDB	13-19
Closing a PDB in a RAC CDB	13-21
Types of Services	13-22
Managing Services	13-23
Affinitizing PDB Services to Server Pools	13-24
Adding a PDB to a RAC CDB	13-25
Dropping a PDB from a RAC CDB	13-26
Quiz	13-27
Summary	13-28
Practice 13: Overview	13-29

14 Quality of Service Management

Objectives	14-2
QoS Management Background	14-3
QoS Management Overview	14-4
QoS Management and Exadata Database Machine	14-5
QoS Management Focus	14-6
QoS Management Benefits	14-7
QoS Management Functional Overview	14-8
QoS Management Policy Sets	14-10
Server Pools	14-11
Performance Classes	14-13
Classification and Tagging	14-15
Performance Policies	14-16
Performance Class Ranks	14-17
Performance Objectives	14-18
Performance Satisfaction Metrics	14-19
Server Pool Directive Overrides	14-20
Overview of Metrics	14-21
QoS Management Architecture	14-22
QoS Management Recommendations	14-23
Implementing Recommendations	14-24
QoS Support For Admin-Managed RAC Databases	14-26
Quiz	14-27
Summary	14-29